

## GROUP Q10. INSTRUMENTS AND MOUNTING. (Contd.)

|   |      |           |   |         |
|---|------|-----------|---|---------|
| SWITCH, instrument.   | 25   | RD.4961   | 1 |         |
| Body.   |      | RD.5273   | 1 |         |
| Knob.   |      | RD.4943   | 1 |         |
| SWITCH, windscreen wiper.                                       | 26   | RD.4963   | 1 |         |
| Body.   |      | RD.5273   | 1 |         |
| Knob.   |      | RD.4945   | 1 |         |
| SWITCH, fog-lamp.   | 27   | RD.4966   | 1 | V/W/X   |
| Body.   |      | RD.5273   | 1 |         |
| Knob.   |      | RD.5816   | 1 |         |
| SWITCH, underseat heater, 3-position.                           | 28   | RD.6694   | 1 | UUU     |
| Body.   |      | RD.6696   | 1 |         |
| Knob.   |      | RD.6695   | 1 |         |
| WASHER, plain, 3 BA. terminal charging socket.                  |      | K. 4446/Z | 2 | Z/V/W/X |
| WASHER, plain, .250" dia. mounting bracket<br>condenser clock.  | X.85 | K. 4407/Z | 1 | OO/PP   |
| WASHER, spring, 5 BA. clock mounting.                           | X.87 | K. 9003/Z | 4 | M/GG/HH |
| WASHER, spring, 5 BA. speedo. shield screw.                     | X.87 | K. 9003/Z | 4 |         |
| WASHER, spring, 5 BA. shield thermometer tube.                  | X.87 | K. 9003/Z | 4 |         |
| WASHER, spring, 3 BA. speedo. drive clip screw.                 | X.87 | K. 9005/Z | 2 | M       |
| WASHER, spring, 3 BA. speedo. drive clip screw.                 | X.87 | K. 9005/Z | 4 | N       |
| WASHER, spring, 2 BA. instrument to mounting<br>plate.          | X.87 | K. 9006/Z | 8 |         |
| WASHER, spring, 2 BA. instrument mounting plate.                | X.87 | K. 9006/Z | 6 |         |
| WASHER, spring, 3 BA. terminal, socket charging<br>plug.        | X.87 | K. 9005/Z | 2 | Z/V/W/X |
| WASHER, spring, 2 BA. speedo. drive clip frame.                 | X.87 | K. 9006/Z | 1 |         |
| WASHER, spring, 2 BA. speedo. drive clip dash.                  | X.87 | K. 9005/Z | 2 | M       |
| WASHER, spring, 2 BA. speedo. drive clip dash.                  | X.87 | K. 9005/Z | 4 | N       |
| WASHER, spring, .250" dia. mounting bracket<br>condenser clock. | X.87 | K. 9008/Z | 1 | OO/PP   |
| WASHER, leather, oil pressure gauge union.                      |      | RD.4345   | 1 |         |

## GROUP Q11. LAMPS AND MOUNTING.

Comprising:

|   |   |           |   |   |
|---|---|-----------|---|---|
| ANCHOR, spring centre lamp.                       | 1 | RD.3710   | 1 |   |
| BRACKET, assembly, support fog lamp.              |   | RF.9566   | 2 | ⊕ |
| BRACKET, assembly, fog lamp mounting bracket R.H. |   | RF.9578   | 1 | ⊕ |
| BRACKET, assembly, fog lamp mounting bracket L.H. |   | RF.9579   | 1 | ⊕ |
| CASING, stop tail lamp, R.H. complete with studs. | 2 | RD.3535/A | 1 |   |
| CASING, stop tail lamp, L.H. complete with studs. |   | RD.3536/A | 1 |   |

GROUP Q11. (Continued Overleaf)

## GROUP Q11. LAMPS AND MOUNTING. (Contd.)

|   |     |           |   |    |
|---|-----|-----------|---|----|
| COVER, support, bracket fog lamp.             |     | RD. 5178  | 1 | ⊕  |
| FLAP, hinged, mounting centre lamp.           | 3   | RD. 3256  | 1 |    |
| LAMP, inspection, assembly, consisting of:    | 4   | RD. 5454  | 1 | ZZ |
| Bulb, 12v 6w, SBC.                            |     | RD. 4518  | 1 |    |
| Cable.  |     | RD. 4351  | 1 |    |
| Casing.                                       |     | RD. 4865  | 1 |    |
| Clip, plug.                                   |     | RD. 4531  | 1 |    |
| Connection terminal plug.                     |     | D. 70396  | 2 |    |
| Insert, casing.                               |     | RD. 4866  | 1 |    |
| Insert, negative plug.                        |     | RD. 4332  | 1 |    |
| Insert, positive plug.                        |     | RD. 4331  | 1 |    |
| Moulding plug.                                |     | RD. 4333  | 1 |    |
| Screw, cheese-head, 5 BA, clip to lamp.       |     | K. 1702/Z | 2 |    |
| Sleeve, small cable, lamp.                    |     | RD. 4868  | 2 |    |
| Sleeve, large cable, lamp.                    |     | RD. 4869  | 1 |    |
| Unit, lamp.                                   |     | RD. 4327  | 1 |    |
| Washer, FS, 5 BA.                             |     | K. 9003/Z | 2 |    |
| LAMP, centre, assembly, consisting of:        | 5   | RD. 5132  | 1 | ⊕  |
| Bulb, 12v 48w.                                | 6   | RF. 4516  | 1 |    |
| Bush, rubber.                                 | 7   | RD. 4745  | 2 |    |
| Cable,  |     | RD. 4749  | 1 |    |
| Connector.                                    | 8   | RD. 4744  | 1 |    |
| Extension.                                    | 9   | RD. 5068  | 1 |    |
| Lamp, centre.                                 | 10  | RD. 5141  | 1 |    |
| Nut.  | 11  | RD. 4978  | 2 |    |
| Pedestal.                                     | 12  | RD. 5070  | 1 |    |
| Sleeve, terminal connector.                   |     | RD. 3287  | 1 |    |
| LAMP, centre assembly, consisting of:         |     | RD. 5141  | 1 | ⊗  |
| Adaptor, assembly.                            |     | RD. 4469  | 1 |    |
| Bulb, 12v 48w.                                |     | RF. 4516  | 1 |    |
| Nut, lamp fixing.                             |     | RD. 4471  | 1 |    |
| Reflector, assembly.                          |     | RD. 4470  | 1 |    |
| Rim, assembly.                                |     | RD. 4467  | 1 |    |
| Spring, reflector fixing.                     |     | RD. 4468  | 1 |    |
| LAMP, centre, assembly, as above except bulb. |     | RD. 3328  | 1 | +  |
| Bulb, 12v 36w.                                |     |           | 1 |    |
| LAMP, centre, assembly.                       | 5A  | RD. 5155  | 2 | ⊕  |
| Bulb, 12v 36w SCC.                            | 6A  | RD. 4165  | 2 |    |
| Bush, rubber connectors.                      |     | RD. 4745  | 4 |    |
| Cable, lamp to connector.                     |     | RD. 4749  | 2 |    |
| Connector.                                    |     | RD. 4744  | 2 |    |
| Nut.  | 11A | RD. 6109  | 2 |    |
| Sleeve, terminal.                             |     | RD. 3287  | 2 |    |
| Washer.                                       |     | K. 4425/Z | 2 |    |

GROUP Q11. (Continued Overleaf)

## GROUP Q.11. LAMPS AND MOUNTING. (Continued)

|  |    |         |   |         |
|--|----|---------|---|---------|
| LAMP, head, assembly complete with (Home)  |    | RD.3936 | 2 | GGG     |
| Bulb, 12v 48w  |    | RF.4516 | 2 |         |
| LAMP, head, assembly complete with (Home)  | 13 | RD.4544 | 2 | HHH     |
| Bulb, 12v 48/48w DC (L.H. Lamp)  |    | RD.5296 | 1 |         |
| Bulb, 12v 48w (R.H. Lamp)  |    | RF.4516 | 1 |         |
| LAMP, head assembly as above except lamp (Home)                                  |    | RD.6650 | 1 | JJJ     |
| LAMP, head assembly complete with (All export except U.S.A. and Europe)          |    | RD.3970 | 2 | GGG     |
| Bulb, 12v 36w DC   |    | RD.4162 | 2 |         |
| LAMP, head, assembly, complete with (All export except U.S.A. and Europe)        |    | RD.4544 | 2 | HHH     |
| Bulb, 12v 36w DC   |    | RD.4162 | 2 |         |
| LAMP, head, assembly, as above except lamp (all export except U.S.A. and Europe) |    | RD.6650 | 2 | JJJ     |
| LAMP, head, assembly, complete with (Export Europe)                              |    | RD.4542 | 2 | GGG     |
| Bulb, 12v 36/36w 3 pin cap   |    | RD.5330 | 2 |         |
| LAMP, head, assembly, complete with (Export Europe except France)                |    | RD.4544 | 2 | HHH     |
| Bulb, 12v 36w  |    | RD.5329 | 2 |         |
| LAMP, head, assembly, complete with (Export Europe except France)                |    | RD.6650 | 2 | JJJ     |
| Bulb, 12v 36w  |    | RD.5329 | 2 |         |
| LAMP, head, assembly, complete with (Export France)                              |    | RD.5446 | 2 | HHH     |
| Bulb, 12v 36/36 DC 3pin cap  |    | RD.5330 | 2 |         |
| LAMP, head assembly, as above except lamp  |    | RD.6770 | 2 | JJJ     |
| LAMP, head (U.S.A.)  |    | RD.5062 | 2 | GGG/HHH |
| LAMP, head (U.S.A.)  |    | RD.7053 | 2 | JJJ     |
| LAMP, luggage boot, assembly consisting of                                       | 14 | RD.4253 | 1 | V/V     |
| Bracket  |    | RD.3360 | 1 |         |
| Bulb, 16v 3w.  |    | RD.4242 | 1 |         |
| Cable, lamp to earth   |    | RD.4254 | 1 |         |
| Cable lamp to switch   |    | RD.4255 | 1 |         |
| Clip   |    | RD.3359 | 1 |         |
| Cover, bulb  |    | RD.3358 | 1 |         |
| Cover, terminal  |    | RD.3357 | 1 |         |
| Eye, cable to bulb holder and earth  |    | RD.3955 | 2 |         |
| Holder bulb  |    | RD.3353 | 1 |         |

GROUP Q.11. (Continued overleaf)

## GROUP Q11. LAMPS AND MOUNTING. (Contd.)

## LAMP, luggage boot, assembly consisting of (Contd.)

|                           |           |   |  |
|---------------------------|-----------|---|--|
| Nut, half 3 BA.           | K. 4304/Z | 2 |  |
| Screw, cheese-head, 3 BA. | K. 1804/Z | 2 |  |
| Sleeve, rubber.           | RD. 3294  | 1 |  |
| Washer, spring, 3 BA.     | K. 9005/Z | 2 |  |

## LAMP, luggage boot, assembly, as above except: RD.4733 1 W/W

|                                 |         |   |  |
|---------------------------------|---------|---|--|
| Cable, lamp to switch.          | RD.4711 | 1 |  |
| Eye, cable switch (Additional). | RD.3406 | 1 |  |

## LAMP, map, assembly, as RD.4253 except: RD.3959 1 KKK

|                        |         |   |  |
|------------------------|---------|---|--|
| Cable, lamp to earth.  | RD.3878 | 1 |  |
| Cable, lamp to switch. | RD.3813 | 1 |  |
| Eye, cable earth.      | RD.3690 | 1 |  |

## LAMP, map assembly, as RD.4733 except: RD.4314 1 LLL

|                            |         |   |  |
|----------------------------|---------|---|--|
| Bracket lamp.              | RD.4278 | 1 |  |
| Cable, map lamp to switch. | RD.4315 | 1 |  |
| Cable, map lamp to earth.  | RD.4316 | 1 |  |
| Eye, cable map lamp.       | RD.3955 | 2 |  |
| Eye, cable earth.          | RD.3690 | 1 |  |
| Sleeve, rubber cable eye.  | RD.7589 | 1 |  |

## LAMP, reverse including (L.C): 15 RD.4716 2

|                |          |   |  |
|----------------|----------|---|--|
| Bulb, 12v 24w. | RE.10604 | 2 |  |
|----------------|----------|---|--|

## LAMP, roof assembly with: RD.3462A 1 H

|                       |         |   |  |
|-----------------------|---------|---|--|
| Bulb, festoon 12v 6w. | RD.4241 | 1 |  |
|-----------------------|---------|---|--|

## LAMP, roof assembly with: RD.4613 1 A/J

|                    |         |   |  |
|--------------------|---------|---|--|
| Bulb, 12v 6w 5 BC. | RF.4518 | 1 |  |
|--------------------|---------|---|--|

## LAMP, roof assembly as above: 16 RD.4742 1 A/J

## LAMP, stop tail assembly, consisting of: RD.3704 2 D

(When no bulb indexing pin is fitted).

|                                      |         |   |  |
|--------------------------------------|---------|---|--|
| Bulb, 12v 24/6w.                     | RF.4517 | 2 |  |
| Lamp stop tail.                      | RD.3570 | 2 |  |
| Ring, spring, screw lamp.            | RD.3685 | 2 |  |
| Screw, fixing, 2 BA, lamp stop.tail. | RD.3684 | 2 |  |

LAMP, stop tail assembly as above except: RD.3705 2 C  
(When no bulb indexing pin is fitted).

|                                     |         |   |  |
|-------------------------------------|---------|---|--|
| Screw, fixing 2 BA, lamp stop tail. | RD.3683 | 2 |  |
|-------------------------------------|---------|---|--|

LAMP, stop tail assembly as RD.3704 except: 17 RD.7066 2 D  
(When bulb indexing pin is fitted).

|                  |         |   |  |
|------------------|---------|---|--|
| Bulb, 12v 18/6w. | RD.6602 | 2 |  |
| Lamp.            | RD.7065 | 2 |  |

GROUP Q11. (Continued Overleaf)

## GROUP Q11. LAMPS AND MOUNTING. (Contd.)

|   |      |            |    |         |
|---|------|------------|----|---------|
| LAMP, stop tail, assembly as above except                       |      | RD.7067    | 2  | C       |
| Screw   |      | RD.3684    | 2  |         |
| LAMP, side assembly consisting of:                              | 18   | RD.4587    | 2  |         |
| Bulb,   |      | RD.5085    | 2  |         |
| Screw, front motif  |      | RD.6575    | 2  |         |
| MOTIF, wing lamp.   | 19   | RD.4535    | 2  |         |
| MOTIF, head lamp.   | 20   | RD.4534    | 2  | GGG/HHH |
| MOTIF, head lamp.   |      | RD.7125    | 2  | JJJ     |
| MOUNTING, centre lamp   | 21   | RD.3255    | 1  |         |
| NUT, full, 2 BA, stop tail lamp                                 | X.21 | K.4006/Z   | 4  |         |
| NUT, half, 2 BA, luggage boot lamp bracket                      |      | CS.5506    | 2  | W/WW    |
| NUT, half, 2 BA, luggage boot lamp cable clip                   | X.24 | K.4307/Z   | 3  |         |
| PAD, rubber stop tail lamp.                                     | 22   | RD.3568    | 2  |         |
| PIECE, bridge, stop tail lamp                                   | 23   | RD.3569    | 2  |         |
| PIN, pivot, centre lamp flap                                    | 24   | RD.3240    | 1  |         |
| PIN, plain, .125" dia., spring anchorage                        | X.28 | KB.4458/Z  | 1  |         |
| PIN, split, .031" dia., centre lamp                             | X.31 | K.4646/Z   | 1  |         |
| RING, sealing, head lamp motif screw, 3 BA                      |      | RD.4562    | 2  |         |
| RING, sealing, head lamp motif screw, 5 BA                      |      | RD.4563    | 2  |         |
| SCREW, cheese-head, 3 BA, head lamp motif front fixing          | X.45 | K.1804/Z   | 2  |         |
| SCREW, cheese-head, 5 BA, head lamp motif rear fixing           | X.44 | K.1704/Z   | 2  |         |
| SCREW, C/sk. head 2 BA, fixing head lamp                        | X.50 | K.2802/Z   | 16 |         |
| SCREW, hex. head, .250" dia., centre lamp mounting front fixing | X.55 | KC.902/Z   | 2  |         |
| SCREW, hex. head, .250" dia., centre lamp mounting rear fixing  | X.55 | KC.201/Z   | 2  |         |
| SCREW, securing, rear wing motif                                | 25   | RD.6576    | 2  |         |
| SCREW, wood, No.4, attachment roof lamp                         |      | CS.34014/Z | 2  | J       |
| SCREW, 2 BA, luggage and boot lamp bracket                      | 26   | CS.30562/Z | 2  |         |
| SCREW, 4 BA, reverse lamp (LG)                                  | 27   | CS.30053/Z | 4  |         |
| SEAL, head lamp   |      | RD.6700    | 2  |         |
| STRIP, tapping motif wing lamp                                  | 28   | RD.4536    | 2  |         |
| SPRING, hinged flap, centre lamp                                | 29   | RD.3709    | 1  |         |
| WASHER, plain, 2 BA, bracket luggage boot lamp                  |      | CS.32044/Z | 2  |         |
| WASHER, plain, 5 BA, centre lamp hinged flap                    |      | K.4401/Z   | 1  |         |
| WASHER, plain, 3 BA, head lamp motif, front fixing              |      | K.4446/Z   | 2  |         |
| WASHER, plain, 5 BA, head lamp motif, rear fixing               |      | K.4401/Z   | 2  |         |
| WASHER, spring, 2 BA, bracket luggage boot lamp                 |      | CS.6706/Z  | 2  |         |
| WASHER, spring, .250" dia., centre lamp mounting.               | X.87 | K.9008/Z   | 3  |         |
| WASHER, spring, 3 BA, head lamp motif front fixing              |      | K.9005/Z   | 2  |         |
| WASHER, spring, 5 BA, head lamp motif rear fixing               |      | K.9003/Z   | 2  |         |
| WASHER, spring, 2 BA, stop-tail light                           | X.87 | K.9006/Z   | 4  |         |

GROUP Q11. (Continued overleaf)

## GROUP Q11. LAMPS AND MOUNTING. (Cont.)

- NOTE: \* Used if pedestal is not fitted to centre lamp (Home cars).  
 @ Used if pedestal is fitted to centre lamp (Home cars).  
 + Used on export cars.  
 ⊕ Used on later chassis in Australia.

## GROUP Q12. MOTOR, STARTER.

Comprising:

|  |      |           |   |
|--|------|-----------|---|
| BEARING, ball, driven gear R & M.                                  |      | RD.5794   | 1 |
| BEARING, ball, driven gear Fischer.                                |      | RD.7529   | 1 |
| BEARING, ball, driven gear Hoffmann.                               | 1    | RD.3957   | 1 |
| DOWEL, idler gear bearing pin support.                             | 2    | RD.3161   | 2 |
| GEAR, driven, assembly, consisting of:                             | 3    | DW. 651A  | 1 |
| Bush.  |      | DW. 652   | 1 |
| + Gear.  |      | DW. 651   | 1 |
| Plate.   |      | DW.6653   | 1 |
| GEAR, driving, armature shaft.                                     | 4    | DB. 986   | 1 |
| GEAR, idler, assembly, consisting of:                              | 5    | DB. 987A  | 2 |
| Bush.  |      | DB. 713   | 1 |
| + Gear.  |      | DB. 987   | 1 |
| HOUSING, gear.   | 6    | RD.4581   | 1 |
| JOINT, gear housing to motor.                                      | 7    | RD.3131   | 1 |
| MOTOR, starter, R.C. assembly, including                           | 8    | RD.3127   | 1 |
| Armature, Assembly (270931)  |      | RD.4387   | 1 |
| Bearing, Hoffmann LS5 (189295)                                     |      | RD.4383   | 1 |
| Bearing, Hoffmann L17 (189308)                                     |      | RD.4386   | 1 |
| Bolt .250" dia., trough fixing (255459)                            |      | RD.4389   | 2 |
| Bracket, assembly, with brush boxes (271048)                       |      | RD.4381   | 1 |
| Bracket, with studs (271047)                                       |      | RD.4385   | 1 |
| Brushes, set (271050)  |      | RD.4384   | 1 |
| Cover, assembly (270426)   |      | RD.4380   | 1 |
| Fields, set (271149)   |      | RD.4388   | 1 |
| Springs, set brush (271051)  |      | RD.4382   | 1 |
| MOTOR, starter L.C. same as above except for position of terminal. |      | RD.4584   | 1 |
| NUT, armature shaft, retaining.                                    | 9    | RD.3129   | 1 |
| NUT, externally threaded, ball bearing, retaining.                 | 10   | D.76262   | 1 |
| NUT, full, 2 BA, gear housing retaining stud                       | X.21 | K. 4006/N | 4 |
| NUT, full, 2 BA, idler gear bracket, retaining stud                | X.21 | K. 4006   | 4 |

GROUP Q12 (Continued Overleaf)

## GROUP Q12. MOTOR, STARTER. (Contd.)

|  |      |           |   |   |
|--|------|-----------|---|---|
| PIN, bearing, idler gear.                          | 11   | DB. 857   | 2 |   |
| PLUG, lubrication hole.                            | 12   | RD. 5129  | 1 |   |
| SUPPORT, idler, gear bearing pin.                  | 13   | DB. 851   | 1 |   |
| WASHER, adjusting, idler gear, .025 " thick.       | 14   | RD. 3579  | 2 | A |
| WASHER, adjusting, idler gear, .030" thick.        |      | RD. 3580  | 2 | A |
| WASHER, adjusting, idler gear, .035" thick.        |      | RD. 3581  | 2 | A |
| WASHER, adjusting, idler gear, .040" thick.        |      | RD. 3582  | 2 | A |
| WASHER, adjusting, idler gear, .045" thick.        |      | G. 50062  | 2 | A |
| WASHER, adjusting, idler gear, .050" thick.        |      | G. 50063  | 2 | A |
| WASHER, adjusting, idler gear, .055" thick.        |      | G. 50064  | 2 | A |
| WASHER, adjusting, idler gear, .060" thick.        |      | G. 50065  | 2 | A |
| WASHER, adjusting, idler gear, .065" thick.        |      | G. 50066  | 2 | A |
| WASHER, aluminium, .312" dia. gear lubricator.     | X.83 | KB. 1077  | 1 |   |
| WASHER, lock, armature shaft retaining nut.        | 15   | DB. 853   | 1 |   |
| WASHER, spring, 2 BA. gear housing retaining stud. | X.87 | K. 9006/N | 4 |   |
| WIRE, locking, ball bearing retaining nut.         | 16   | RD. 3162  | 1 |   |

N.B. - Lucas Part Numbers in brackets.

## GROUP Q13. PLATE, REAR NUMBER.

Comprising:

|  |   |          |   |  |
|--|---|----------|---|--|
| NUMBER PLATE, rear assembly, (Lucas),<br>complete with:  | 1 | RD. 3257 | 1 |  |
| Bead, rubber.  |   | RD. 4338 |   |  |
| Bulb, 12v. 24w. SCC, reverse.                            |   | RF. 4518 | 2 |  |
| Bulb, 12v. 3w. illumination.                             |   | RD. 5085 | 2 |  |
| Glass, reverse.  |   | RD. 4435 | 2 |  |
| Glass, plate.  |   | RD. 4441 | 1 |  |
| Strip sealing, reverse glass.                            |   | RD. 5337 | 2 |  |
| Strip sealing, plate glass.                              |   | RD. 5338 | 2 |  |
| Washer, plate glass.                                     |   | RD. 4440 | 1 |  |
| Washer, reverse light.                                   |   | RD. 4983 | 2 |  |
| NUMBER PLATE, rear assembly, (Lucas) as above<br>except: |   | RD. 3930 | 1 |  |
| Glass reverse.   |   | RD. 4435 | 1 |  |
| Glass reverse (amber).                                   |   | RD. 4436 | 1 |  |
| NUMBER PLATE, rear assembly, (Comercroft) with:          |   | RD. 4588 | 1 |  |
| Bulb, 12v. 6w. SCC, reverse.                             |   | RF. 4518 | 4 |  |
| Bulb, 12v. 3w. illumination.                             |   | RD. 5085 | 2 |  |
| Panel, glass.  |   | RD. 7524 | 1 |  |
| Rim and glass assembly, c/w fixing screw.                |   | RD. 7525 | 2 |  |
| Screw, fixing box to panel or                            |   | RD. 7519 | 4 |  |
| Screw, fixing box to panel.                              |   | RD. 7518 | 6 |  |
| Washer, cork.  |   | RD. 7891 | 2 |  |
| Washer, fibre.   |   | RD. 7592 | 6 |  |

GROUP Q13. (Continued Overleaf)